



06/14/00

**UTILITY  
PATENT APPLICATION  
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.	2105.2130
First Named Inventor or Application Identifier	
Peter Given	
Express Mail Label No.	

**APPLICATION ELEMENTS**

See MPEP chapter 600 concerning utility patent application contents.

**ADDRESS TO:**Assistant Commissioner for Patents  
Box Patent Application  
Washington, DC 202311. ☒ Fee Transmittal Form  
(Submit an original, and a duplicate for fee processing)2. ☒ Specification Total Pages 203. ☐ Drawing(s) (35 USC 113) Total Sheets         4. ☒ Oath or Declaration Total Pages 2a. ☒ Newly executed (original or copy)b. ☐ Unexecuted for information purposesc. ☐ Copy from a prior application (37 CFR 1.63(d))  
(for continuation/divisional with Box 17 completed)  
[Note Box 5 below]i. ☐ **DELETION OF INVENTOR(S)**Signed Statement attached deleting inventor(s)  
named in the prior application, see 37 CFR  
1.63(d)(2) and 1.33(b).5. ☐ Incorporation By Reference (useable if Box 4c is checked)  
The entire disclosure of the prior application, from which a copy of the  
oath or declaration is supplied under Box 4c, is considered as being  
part of the disclosure of the accompanying application and is hereby  
incorporated by reference therein.6. ☐ Microfiche Computer Program (Appendix)7. Nucleotide and/or Amino Acid Sequence Submission  
(if applicable, all necessary)a. ☐ Computer Readable Copyb. ☐ Paper Copy (identical to computer copy)c. ☐ Statement verifying identity of above copies**ACCOMPANYING APPLICATION PARTS**8. ☒ Assignment Papers (cover sheet & document(s))9. ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney  
(when there is an assignee)10. ☐ English Translation Document (if applicable)11. ☐ Information Disclosure ☐ Copies of IDS  
Statement (IDS/PTO-1449) Citations12. ☐ Preliminary Amendment13. ☐ Return Receipt Postcard (MPEP 503)  
(Should be specifically itemized)14. ☐ Small Entity ☐ Statement filed in prior application  
Statement(s) Status still proper and desired15. ☐ Certified Copy of Priority Document(s)  
(if foreign priority is claimed)16. ☐ Other: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.         **18. CORRESPONDENCE ADDRESS**☒ Customer Number or Bar Code Label05514  
(Insert Customer No. or Attach bar code label here)or ☐ Correspondence address below

NAME			
Address			
City	State	Zip Code	
Country	Telephone	Fax	



CLAIMS	(1) FOR	(2) NUMBER FILED	(3) NUMBER EXTRA	(4) RATE	(5) CALCULATIONS
TOTAL CLAIMS (37 CFR 1.16(c))		30 -20 =	10	X \$ 18.00 =	\$180.00
INDEPENDENT CLAIMS (37 CFR 1.16(b))		3 -3 =	0	X \$ 78.00 =	\$0
MULTIPLE DEPENDENT CLAIMS (if applicable) (37 CFR 1.16(d))				\$260.00 =	\$0
				BASIC FEE (37 CFR 1.16(a))	\$690.00
				Total of above Calculations =	\$870.00
				Reduction by 50% for filing by small entity (Note 37 CFR 1.9, 1.27, 1.28).	
				TOTAL =	\$870.00

19. Small entity status

- a. ☐ A Small entity statement is enclosed
- b. ☐ A small entity statement was filed in the prior nonprovisional application and such status is still proper and desired.
- c. ☐ Is no longer claimed.


20. ☒ A check in the amount of \$ 870.00 to cover the filing fee is enclosed.

21. ☒ A check in the amount of \$ 40.00 to cover the recordal fee is enclosed.

22. The Commissioner is hereby authorized to credit overpayments or charge the following fees to Deposit Account No. 06-1205:

- a. ☒ Fees required under 37 CFR 1.16.
- b. ☒ Fees required under 37 CFR 1.17.
- c. ☐ Fees required under 37 CFR 1.18.

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT REQUIRED

NAME	Matthew J. Golden, Reg. No. 35,161
SIGNATURE	
DATE	6/13/00

- 1 -

## TITLE

CALCIUM FORTIFIED BEVERAGE COMPOSITIONS  
AND PROCESS FOR PREPARING THE SAME

5

## BACKGROUND OF THE INVENTION

## 10 Field of the Invention

The present invention relates to calcium fortified beverage compositions and a process of preparing the same. More particularly, the invention relates to ready to drink beverage compositions fortified with a nutritionally significant amount of calcium, using calcium sulfate as the sole source of calcium.

## 20 Related Background Art

Calcium fortification of both beverages and food products is known in the art. Known calcium fortification techniques employ a variety of calcium sources, in-situ calcium salt formation or adjuvants to enhance dietary calcium utilization.

A number of calcium sources have received much attention. Most notably, U.S. Patent Nos. 4,851,221 and 5,075,499 relate to calcium citrate and dicalcium citrate lactate compounds and related processes.

- 5 Furthermore, calcium citrate malate has been extensively investigated as evidenced by U.S. Patent Nos. 5,468,506, 5,445,837, 5,442,128, 5,389,387, 5,314,919, 5,232,709, 5,225,221, 5,186,965, 5,151,274, 5,128,374, 5,118,513, 4,994,283, 4,992,282, 4,919,963,  
10 4,872,919, 4,830,862, 4,786,510, 4,737,375 and 4,722,847.

- However, each of the above-identified calcium fortification sources requires pre-blending or high  
15 shear mixing to dissolve the calcium source at finished beverage strength. Additionally, each requires pre-dissolution of an organic acid, followed by high shear mixing/dispersion of a poorly soluble calcium source (carbonate, oxide or hydroxide) which is difficult to  
20 achieve in a finished beverage strength due to typical manufacturing plant configurations and possibly intermittent harsh local conditions which destroy other fortificants and sensitive flavors.
- 25 U.S. Patent No. 4,830,862 relates to the use of calcium sulfate, preferably in combination with calcium chloride, to improve the solubility of other calcium sources (mainly calcium hydroxide and calcium carbonate), in the presence of significant amounts of  
30 edible aids, such as phosphoric and citric acids. The calcium sulfate-chloride combination is said to reduce

001130 0526560

precipitation and deposition of calcium salts on equipment surfaces during pasteurization.

U.S. Patent No. 5,424,082 relates to beverage  
5 compositions which are resistant to browning and which contain both added calcium and vitamin C. The compositions therein necessarily contain erythorbic acid and a pH control system to accomplish the improved color stability.

10 U.S. Patent No. 5,474,793 relates to the calcium fortification of ready-to-drink not-from-concentrate fruit juice beverages that are made by recirculation of juice containing citric and malic acids and addition of  
15 a powdered calcium salt in an area of turbulent flow. The powdered calcium sources may include hydroxide, carbonate, lactate, phosphate, sulfate, and mixtures thereof. While calcium sulfate, which is relatively insoluble, is mentioned, it is not proffered as a sole  
20 source of calcium.

U.S. Patent No. 5,401,524 relates to storage stable calcium fortified pre-mixes for beverage concentrate  
25 production. Sulfate is listed as one of several possible acidic anions. The pre-mixes also contain citric and malic acids and have a pH less than or equal to 3.5.

U.S. Patent No. 4,325,975 relates to mineralized  
30 drinking water that contains strontium, magnesium, calcium and lithium ions supplied by water soluble salts such as sulfates. However, the amount of calcium

contained in the mineralized water is significantly less than the amount desired in a calcium fortified beverage, considering the recommended daily intake for calcium.

5

In addition to the various calcium fortification schemes known in the art, there are various compositions that inherently contain significant levels of calcium in addition to other minerals. Mineral water is such a composition. Varo-Galvan & Guillen-Sempere, Alimentaria, No. 284, pp. 53-59 (1997), report the presence of calcium among other minerals in samples of natural spring waters. In addition, CONTREX is a mineral water product marketed in Europe said to contain, inter alia, calcium sulfite. Nutraceuticals Int'l, December 1998, pp. 20-21.

Certain calcium sources are employed in food and/or beverage compositions for purposes other than calcium fortification. For example, a new powdered soy beverage mix, which is marketed as "non-mineral & vitamin fortified", contains calcium sulfate most likely as an anti-caking/flow agent. Further, EP 0 644 727 relates to a psyllium husk (fiber) beverage mix containing a divalent cation salt of a strong inorganic acid, such as calcium sulfate. The anhydrous calcium sulfate appears to stabilize the fiber against caking in the dry mix and to act as a flow agent.

In contrast to the above-mentioned art, the invention described and claimed in the present application relates to the use of calcium sulfate as a sole source

00553257.001400

to fortify a ready to drink beverage composition, in particular purified water. It has been discovered that use of calcium sulfate provides both a distinct taste and beverage making process advantages as compared with  
5 other commonly employed chemical forms or salts of calcium.

These and additional objects and advantages of the present invention are shown from the description below.  
10 The disclosures of the publications cited above and throughout this specification are incorporated in their entirety to more fully describe the invention and to demonstrate the state of the art.

15 **SUMMARY OF THE INVENTION**

This invention provides a ready to drink beverage composition containing a nutritionally significant amount of calcium provided by calcium sulfate.

20 This invention also provides a process for producing a calcium fortified beverage composition which comprises:

(a) combining a ready to drink beverage and calcium sulfate to form a solution; and

25 (b) preserving the solution to form the calcium fortified beverage composition.

This invention further provides a method of providing a nutritionally significant amount of calcium to a  
30 subject comprising administering to a subject a calcium fortified beverage composition according to this invention.

## DETAILED DESCRIPTION OF THE INVENTION

5

10

15

20

25

30



As used herein, "calcium sulfate" is understood to include the anhydrous form as well as various hydrate forms such as dihydrate, tetrahydrate, hexahydrate, and so on, and blends and mixtures thereof. In a particularly preferred embodiment, the dihydrate form of calcium sulfate is used as the calcium source.

The amount of calcium contained in the calcium supplemented beverages of the invention is limited only by the solubility limits of calcium sulfate form(s) used. Thus, the amount of calcium sulfate used in the compositions of the present invention is an amount sufficient to provide a nutritionally significant amount of calcium, which is understood to be an amount at least about 1% of the U.S. RDV of calcium per serving of the beverage (i.e., about 10mg Ca/8 oz.), up to the solubility limit of the particular calcium sulfate form(s) used. In a preferred embodiment, calcium sulfate is added in an amount sufficient to provide about 10% U.S. RDV of calcium per serving. The present U.S. RDV of calcium is 1000 mg.

Thus, the ready to drink beverage compositions of the invention comprise calcium sulfate and purified water. In a preferred embodiment, the ready to drink beverage compositions of the invention consist essentially of purified water and calcium sulfate. In a particularly preferred embodiment, the ready to drink beverage compositions consist of purified water and calcium sulfate.

- As used herein, "purified water" refers to water that has been treated to remove substantially all mineral content of the water prior to supplementation with calcium as disclosed herein. Methods of producing
- 5 purified water are known to those of ordinary skill in the art and include deionization, distillation, filtration and reverse osmosis ("R-O"), among others. The terms "purified water", "demineralized water", "distilled water" and "R-O water" are understood to be
- 10 synonymous herein, referring to water from which substantially all mineral content has been removed, typically containing no more than about 10 ppm total dissolved solids.
- 15 The beverages of the invention can optionally contain a flavor component, for example fruit flavors, botanical flavors and mixtures thereof. As used herein, the term "fruit flavor" refers to those flavors derived from the edible reproductive part of a seed plant, especially
- 20 one having a sweet pulp associated with the seed. Also included within the term "fruit flavor" are synthetically prepared flavors made to simulate fruit flavors derived from natural sources. Particularly preferred fruit flavors are the citrus flavors orange,
- 25 lemon, lime, and grapefruit, and such flavors as apple, grape, cherry, and pineapple flavors and the like, and mixtures thereof.
- As used herein, the term "botanical flavor" refers to
- 30 flavors derived from parts of a plant other than the fruit. As such, botanical flavors can include those flavors derived from essential oils and extracts of

00562750-001100

nuts, bark, roots and leaves. Also included within the term "botanical flavor" are synthetically prepared flavors made to simulate botanical flavors derived from natural sources. Examples of such flavors include kola  
5 flavors, tea flavors, and the like, and mixtures thereof. The flavor component can further comprise a blend of various of the above-mentioned flavors

The particular amount of the flavor component useful  
10 for imparting flavor characteristics to the beverages of the present invention will depend upon the flavor(s) selected, the flavor impression desired, and the form of the flavor component. Those skilled in the art are readily able to determine the amount of any particular  
15 flavor component(s) used to achieve the desired flavor impression.

Additional non-mineral nutritional supplement ingredients may also be present in the calcium  
20 fortified beverage compositions of the present invention. Such non-mineral nutritional supplement ingredients are known to those of ordinary skill in the art and include, without limitation, antioxidants and vitamins, including Vitamins A, D, E (tocopherol), C  
25 (ascorbic acid), B (thiamine), B<sub>2</sub> (riboflavin), B<sub>6</sub>, B<sub>12</sub>, and K, niacin, folic acid, biotin, and combinations thereof. The optional non-mineral nutritional supplements are typically present in amounts generally accepted under good manufacturing practices and are  
30 preferably present in amounts between about 1% to about 100% RDV, where such RDV are established. When present, the non-mineral nutritional supplement

0053750, 0054400

ingredient(s) is preferably present in an amount of  
from about 5% to about 20% RDV, where established. In  
a particularly preferred embodiment, the beverage  
compositions of the invention contain Vitamin E,  
5 optionally with Vitamin C.

The calcium fortified beverage compositions of this  
invention may also include a preservative system. As  
used herein, the "preservation system" includes all  
10 preservatives approved for use in food and beverage  
compositions, including without limitation, sodium  
benzoate, potassium benzoate, sodium sorbate, potassium  
sorbate, EDTA, BHA, BHT, TBHQ, dehydroacetic acid,  
dimethyldicarbonate, ethoxyquin, heptylparaben, and  
15 combinations thereof. Preservative systems can be used  
in amounts not exceeding mandated maximum levels.

This invention also provides a method for preparing a  
calcium fortified ready to drink beverage composition  
20 comprising calcium sulfate which comprises:

(a) combining a ready to drink beverage and  
calcium sulfate to form a solution; and

(b) preserving the solution to form the calcium  
fortified beverage composition.

25

It has been discovered that calcium sulfate, in  
particular calcium sulfate dihydrate, can be freely  
dissolved at finished beverage strength in ready to  
drink beverages without any pre-blends or high shear  
30 mixing requirements. Thus, the calcium fortified  
beverages of the present invention can be produced  
simply by combining a ready to drink beverage

00502759.061400

composition desired to be fortified with calcium with the desired amount of calcium sulfate and optional ingredients. Alternatively, the calcium fortified beverage compositions of the present invention can be initially prepared according to any known method. In a preferred embodiment of the method, the ready to drink beverage is purified water.

In the second step, the beverage composition undergoes a preservation step which can comprise addition of a preservative system as discussed above or the beverage can be otherwise treated to render it safe for consumption over the shelf life of the product. For example, as the second step in the method of the present invention, the calcium fortified beverage can be subjected to typical pasteurization processes including, but not limited to, hot-filling, aseptic packaging, ozonation, radiation, UV light, high pressure, membrane permeation, pulsed electric field, sonication, and combinations thereof. Of these methods, ozonation is the preferred method used in the food and beverage industry due to its ease of application and low cost. However, ozonation has been found to react unfavorably with many beverages containing organic calcium salts, producing a brown color, a visible white precipitate or a significant off-taste, presumably due to oxidation of the organic portion of the calcium salt. It has now been discovered, however, that when calcium sulfate, in particular calcium sulfate dihydrate, is used as the sole source of calcium fortification, ozonation produces only a slight off-taste which can be

completely eliminated with the addition of ascorbic acid. Thus, the use of calcium sulfate as the sole source of calcium provides a further advantage of low cost production of calcium fortified ready to drink beverages.

The examples which follow are intended as an illustration of certain preferred embodiments of the invention, and no limitation of the invention is implied.

#### EXAMPLE 1

Calcium fortified water was prepared by combining the ingredients listed in Table 1 in the indicated amounts.

Table 1

Ingredient	Quantity
calcium sulfate dihydrate	0.9 g
ascorbic acid	0.03 g
purified drinking water*	500 ml

\*AQUAFINA® was used as the purified drinking water.

The resulting water can be ozonated, hot filled or aseptically packaged.

#### EXAMPLE 2

Calcium and vitamin E fortified water was prepared by combining the ingredients listed in Table 2 in the indicated amounts.

Table 2

5	Ingredient	Quantity
	calcium sulfate dihydrate	0.9 g
	ascorbic acid	0.03 g
	vitamin E	0.006 g
	purified drinking water	500 ml

The resulting water can be hot filled or aseptically packaged. The resulting product is crystal clear and has no off-taste, bitterness or astringency as compared to non-fortified water.

## EXAMPLE 3

- 15 Calcium and vitamin E fortified water was prepared by combining the ingredients listed in Table 3 in the indicated amounts.

Table 3

20	Ingredient	Quantity
	calcium sulfate dihydrate	0.9 g
	ascorbic acid	0.03 g
	vitamin E	0.006 g
	potassium benzoate	0.26
25	potassium sorbate	0.07
	purified drinking water	500 ml

The resulting water, because it contains preservatives, can be cold filled.

Other variations and modifications of this invention will be obvious to those skilled in this art. This invention is not to be limited except as set forth in the following claims.



What is claimed is:

1. A calcium fortified beverage composition consisting essentially of purified water and calcium sulfate.
2. The calcium fortified beverage composition according to claim 1, wherein the calcium sulfate is calcium sulfate dihydrate.
3. The calcium fortified beverage composition according to claim 1 which contains at least about 10% U.S. RDV of calcium per serving.
4. The calcium fortified beverage composition according to claim 1 further comprising one or more non-mineral nutritional supplements.
5. The calcium fortified beverage composition according to claim 4, wherein the non-mineral nutritional supplement is chosen from the group consisting of Vitamins A, D, E (tocopherol), C (ascorbic acid), B (thiamine), B<sub>2</sub> (riboflavin), B<sub>6</sub>, B<sub>12</sub>, and K, niacin, folic acid, biotin, and combinations thereof.
6. The calcium fortified beverage composition according to claim 1 further comprising a flavor component.
7. The calcium fortified beverage composition according to claim 6, wherein the flavor component is

08592759-051407



13. The method according to claim 10, further comprising the step of adding one or more non-mineral nutritional supplement(s) prior to step (b).

14. The method according to claim 13, wherein the one or more non-mineral nutritional supplement(s) is chosen from the group consisting of vitamins A, D, E (tocopherol), C (ascorbic acid), B (thiamine), B<sub>2</sub> (riboflavin), B<sub>6</sub>, B<sub>12</sub>, and K, niacin, folic acid, biotin, and combinations thereof.

15. The method according to claim 10, wherein step (b) comprises subjecting the solution to a pasteurization process.

16. The method according to claim 15 wherein the pasteurization process is chosen from the group consisting of hot-filling, aseptic packaging, ozonation, radiation, UV light, high pressure, membrane permeation, pulsed electric field, sonication, or combinations thereof.

17. The method according to claim 10, further comprising the step of adding one or more flavor component(s) prior to step (b).

18. The method according to claim 16, wherein the one or more flavor component(s) is chosen from the group consisting of fruit flavors, botanical flavors, and mixtures thereof.

00503756.001400

19. The method according to claim 10, wherein the ready to drink beverage is purified water.

20. A beverage composition consisting essentially of a nutritionally significant amount of calcium and purified water, wherein the beverage composition is produced by combining calcium sulfate and purified water to form a solution.

21. The beverage composition of claim 20 wherein calcium is present in an amount of at least about 10% U.S. RDV per serving.

22. The beverage composition of claim 20 further comprising one or more non-mineral nutritional supplement(s).

23. The beverage composition of claim 20 further comprising a flavor component.

24. The beverage composition of claim 20 further comprising a preservative system.

25. The beverage composition according to claim 20 wherein the calcium sulfate is calcium sulfate dihydrate.

26. The beverage composition according to claim 20, wherein the solution is further subjected to purification.

00502750 001400

27. A method for providing a nutritionally significant amount of calcium to a subject comprising administering to the subject the calcium fortified beverage composition of claim 1.

28. A method for providing a nutritionally significant amount of calcium to a subject comprising administering to the subject the beverage composition of claim 20.

29. A method of providing at least about 10% of the U.S. RDV of calcium to a subject comprising administering to the subject the calcium fortified beverage composition of claim 3.

30. A method of providing at least about 10% of the U.S. RDV of calcium to a subject comprising administering to the subject the beverage composition of claim 21.

0050759-061400

**ABSTRACT**

Ready to drink beverage compositions containing a  
nutritionally significant amount of calcium and a  
process for making the same. Calcium sulfate is used  
5 as the sole source of calcium.

NY\_MAIN 65732 v 1

09503759-061400

COMBINED DECLARATION AND POWER OF ATTORNEY  
FOR PATENT APPLICATION

(Page 1)

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled CALCIUM FORTIFIED BEVERAGE COMPOSITIONS  
AND PROCESS FOR PREPARING THE SAME

the specification of which ☒ is attached hereto ☐ was filed on \_\_\_\_\_  
Application No. \_\_\_\_\_  
and was amended on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

<u>Country</u>	<u>Application No.</u>	<u>Filed (Day/Mo./Yr.)</u>	<u>(Yes/No)</u> <u>Priority Claimed</u>
----------------	------------------------	----------------------------	--

I hereby appoint the practitioners associated with the firm and Customer Number provided below to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith, and direct that all correspondence be addressed to the address associated with that Customer Number:

**FITZPATRICK, CELLA, HARPER & SCINTO**  
**Customer Number: 05514**

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

COMBINED DECLARATION AND POWER OF ATTORNEY  
FOR PATENT APPLICATION

(Page 2)

Full Name of Sole or First Inventor Peter Given

Inventor's signature Peter Given

Date 6/12/00 Citizen/Subject of United States

Residence 16 O'Neill Court, Ridgefield, CT 06877

Post Office Address (same as Residence)

Full Name of Second Joint Inventor, if any Pei K. Chang

Second Inventor's signature Pei K. Chang

Date 6/12/2000 Citizen/Subject of United States

Residence 428 Furnace Dock Road, Cortlandt Manor, NY 10567

Post Office Address (same as Residence)

Full Name of Third Joint Inventor, if any Patricia Amenedo

Third Inventor's signature Patricia Amenedo

Date 6/12/2000 Citizen/Subject of United States

Residence 8 Holly Ridge Road, Valhalla, NY 10595

Post Office Address (same as Residence)

Full Name of Fourth Joint Inventor, if any William Mutilangi

Fourth Inventor's signature William Mutilangi

Date 6/12/00 Citizen/Subject of Kenya

Residence 190 Scenic Drive, Croton-on-Hudson, NY 10520

Post Office Address (same as Residence)

Full Name of Fifth Joint Inventor, if any \_\_\_\_\_

Fourth Inventor's signature \_\_\_\_\_

Date \_\_\_\_\_ Citizen/Subject of \_\_\_\_\_

Residence \_\_\_\_\_

Post Office Address \_\_\_\_\_